





# 1150 RAISE No. 2

1"=20'

Hole shown  
2/12/85



9220	3.2	.150	8.02		
9219	1.9'	.098	3.29		
9218	3.2'	.160	6.34		
9217	3.7'	.124	6.35		
9216	3.3'	.446	20.56		
9215	3.1'	.022	1.39		
9214	3.8'	.018	1.41		
9213	3.5'	.044	2.55		
9162	4.0'	.050	2.97		
9161	0.2'	.042	1.95	LT rib	
9158	0.8'	.084	3.48	LT rib	
9155	3.1'	.102	10.11		
9154	3.5'	.216	10.68		
9153	3.7'	.034	2.19		
9138	3.2'	.169	6.13		
9137	4.0'	.137	6.06		
9136	2.4'	.255	12.45		
9135	3.2'	.047	2.84		
9160	3.5'	.056	2.97	Back	
9159	0.3'	.040	0.22	rt rib	
9157	2.6'	.080	3.59	Back	
9156	0.3'	.012	0.81	rt rib	

57°

EXISTING RAISE

1150 WEST DRIFT

7.0 \*\*\*  
0.0 \*\*\*  
0 \*\*\*  
5 \*\*\*  
8 \*\*\*  
3 \*\*\*

DATA PRINT

4.00 \*  
724745.14  
250394.76

DATA PRINT

el = 4394.1 \*\*\*

236.0 \*\*\*  
16.6 \*\*\*

5.0 \*\*\*  
724735.9 \*\*\*  
250381.0 \*\*\*  
= 4416.9

294.0 \*\*\*  
9.2 \*\*\*

5.0 \*\*\*  
724739.6 \*\*\*  
250372.6 \*\*\*  
4442.1

DATA PRINT

3/85

1.0000 \*\*\*